

M3 SL20 Series

User Manual

Version 1.2 © 2022

Korea Headquarter Seoul, Korea | sales@m3mobile.co.kr | +82-(0)2-574-0037

Europe Headquarter Germany, Frankfurt | sales_eu@m3mobile.net | +49-(0)-6190-8021829

www.m3mobile.net



Revision

Release date of version 1.0: Sep. 2021

• Initial distribution

Release date of version 1.1: Oct. 2021

Corrected typos

Release date of version 1.2: Feb. 2022

Corrected typos

2



Terms of Use

Thank you for purchasing M3 SL20. This device provides high performance data collection and mobile communications that meet industrial standards.

This user manual enables users to know the characteristics of M3 SL20 series and how to use it.

- Please carefully read this manual before using the device to ensure safe and proper use, as well as to prevent accidents that may occur when the device is used.
- This manual is created based on current status. The details on this manual may be changed without prior notice.
- The descriptions of this manual are based on the device's default settings.
- Images and screenshots are described with the latest software version.
- This manual is created under the assumption that the device has all options. For detailed information on available options, contact the local distributor or refer to our Web site (http://www.m3mobile.net).
- M3 Mobile does not have any legal responsibility for any performance problem that may occur when a user uses an application that is supplied by a third party.
- M3 Mobile does not have any legal responsibility for any performance degradation or compatibility problem that may occur because of the user's mistake or negligence.
- M3 Mobile does not have any legal responsibility for copyright or patent breach by the user.
- M3 Mobile can request all or part of the applications developed by a user or a third party.
 The request is for the improvement of user environment or device performance.
- Higher OS version may be released after you purchase the device with the existing OS. If you want to receive information on the latest OS, please contact your local distributor.
- This device can be operated in at least one Member State without infringing applicable requirements on the use of radio spectrum.
- This manual may include technical or editing errors.

Copyright

Copyright © 2021 M3 Mobile Co., Ltd.

This manual is protected under international copyright laws. No part of this manual may be reproduced, distributed, translated, or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or storing in any information storage and retrieval system, without the prior written permission of M3 Mobile.



Trademarks

- M3 Mobile and M3 logos are registered as trademarks of M3 Mobile.
- M3 SL20 is a registered trademark of M3 Mobile Co., Ltd.
- Google, Android, Google Play, YouTube, and other marks are trademarks of Google LLC.

Safety Rules

- Do not use the device while driving.
 - ✓ Traffic accidents may occur.
 - ✓ Observe the rules on device use while driving.
- Do not touch the power plug with wet hands.
 - ✓ You may be electrocuted.
- Be careful when using the battery.
 - ✓ Avoid causing a strong impact on the battery or breaking a hole through it with a sharp thing.
 - ✓ Do not put water on the battery or submerge it in water.
 - ✓ Do not let the charging terminal of the battery come into contact with a metal material.
- Keep the device, battery, or charger away from direct heat sources.
 - ✓ Heat may cause the device to become deformed, or an explosion or fire may occur.
 - ✓ If the device is placed inside a vehicle, the battery may explode due to increase in temperature.
- Do not use the device when there is thunder or lightning.
 - ✓ Lightning or fire may cause the device to break down or you may be electrocuted.
- Turn off power of the device when device use is prohibited.
 - ✓ Hazardous or wave-related problem may occur.
 - ✓ Turn off power of the device when you board a plane. The electromagnetic waves generated from the device may affect the plane's electronic equipment.
 - ✓ Turn off power of the device when you are in a hospital. Observe the device rules while in a hospital. The electromagnetic waves generated from the device may affect the medical equipment in the hospital.
- Turn off power of the device in hazardous areas where explosions may occur.
 - ✓ Observe the regulations, instructions, or signs of a hazardous area where explosions may occur.
 - ✓ Turn off power of the device while refueling.



- Be careful when a headset is used.
 - ✓ Avoid long-term exposure to loud sounds to prevent damage to your hearing.
 - ✓ Loud sounds while walking or driving distract your attention and may cause traffic accidents.

Instructional Icons

Before using this manual, please carefully read and understand the following icons:



Warning – Situations that may cause injury to yourself or others



Caution – Situations that may cause damage to your device or other equipment



Note - Notes, usage tips, or additional information



Table of Contents

Contents

Coı	ntents	3		6
1	Gett	ting Start	ted	8
	1.1	Basic (Components	8
		1.1.1	Device and Accessories	8
	1.2	Batter	y	9
		1.2.1	How to use	9
		1.2.2	Charging the Battery	10
	1.3	Turnin	ng the Device On/Off	12
		1.3.1	Turning the Device On	12
		1.3.2	Turning the Device Off	13
		1.3.3	Standby Mode	14
	1.4	Memo	ry Card	15
		1.4.1	Inserting an External Memory Card	15
		1.4.2	Checking Data	15
	1.5	SIM Ca	ard	16
		1.5.1	Inserting the SIM Card	16
2	Basi	ic Use		17
	2.1	Featur	res	17
	2.2	Key		17
		2.2.1	Button	17
	2.3	Home	Screen	18
		2.3.1	Status Bar	18
		2.3.2	Notification Bar	19
		2.3.3	Dock Bar	20
	2.4	Data Ir	nput	20
		2.4.1	Virtual Keyboard	20
	2.5	Device	Reset	21
		2.5.1	Soft Reset (1)	21
		2.5.2	Soft Reset (2)	21
		2.5.3	Factory Reset	21
	2.6	Conne	ecting with a PC	24

SL20 Series

User Manual



		2.6.1	How to Connect	24
3	Usir	ng the Ap	plication Screen	25
	3.1	Phone	Function	25
		3.1.1	Basics	25
	3.2	Wi-Fi		26
		3.2.1	Setting the Wi-Fi Feature	26
	3.3	Scann	er	27
		3.3.1	How to Use Scanner	27
		3.3.2	Using the Scanner	28
	3.4	Blueto	ooth	29
		3.4.1	Setting the Bluetooth Feature	29
		3.4.2	Connecting Using Bluetooth	30
	3.5	NFC		30
		3.5.1	Setting the NFC Feature	30
		3.5.2	Connecting the NFC Feature	31
4	Adv	anced U	se	33
	4.1	OS Up	date	33
	4.2	Key Se	etting Conversion	34
	4.3	Batter	y Hot swap	36
5	Oth	ers		37
	5.1	SL20 s	eries Device Specifications	37
	5.2	Servic	e	39
		5.2.1	Contacts	39




1 Getting Started

1.1 Basic Components

1.1.1 Device and Accessories

The basic components of M3 SL20 are as follows.



If any components are missing or damaged, please contact the place of purchase.

% NOTE

The screen protector and Hand Strap are included in the package, but the cradle, Protective boot, adapter, USB cable, and all accessories are sold separately. Please refer to the SL20 accessory guide for details. The cradle is offered as a product for "charging and data synchronization" or "charging, data synchronization, and Ethernet connection" depending on the purchase option.

If the device is used for purposes other than the original device use or if it is remodeled, you may be exposed to electromagnetic waves.



1.2 Battery

1.2.1 How to use

Inserting the Battery

- Remove the battery cover with the battery lock button to the left.
- Insert the battery in the correct direction from the top and lock the battery lock button to the right.





M3 SL20 uses 3.8 V --- 3,000mAh Li-ion Battery, 3.8V --- 5,000mAh Battery.



- If an unapproved battery is used, it may explode.
- When a battery is discarded, follow proper disposal procedure.
- Check if the battery is inserted in right direction.

Removing the Battery

Press the battery lock button to the left and remove the battery.







If the battery is not properly removed, the battery terminal may become bent or damaged.

Before the battery is removed, close any running program. If it is not closed, an error may occur in the program.

The elements of the instructional safeguard shall be as follows:

- elements 1a or 1b: not required
- element 2: "CAUTION" or equivalent word or text
- element 3: "Risk of fire or explosion if the battery is replaced by an incorrect type" or equivalent text
- element 4: optional

1.2.2 Charging the Battery

If the following battery warning screen is displayed, charge the battery.

If the device is continuously used without charging the battery, its power will be turned off.

You can charge the device directly with a C-type USB cable or charge it using a cradle.

Charging the Battery with cradle

- Please connect the device to a cradle that you can additionally purchase to charge the battery.
- As pictures below, Charging begins when you set a device into the cradle.







AC adaptor is made to be used in 100–240V input, 5V === 3A output. If a voltage beyond the range is supplied, the device may be seriously damaged.

LED Color	Description
Red	Battery is being charged.
Green	Battery is fully charged.



If the battery is used at the temperature other than -20°C to 55°C, the device may malfunction or break down.

It takes about 4 hours to fully charge a battery that is fully discharged.




- It is recommended to replace a battery every two year.
- If a battery is charged and used continuously, its lifespan will decrease.

For information on the device battery, **Swipe the bottom** → **Click**





Settings → Battery











1.3 Turning the Device On/Off

1.3.1 Turning the Device On

Press and hold Power button until the device vibrates. This will turn the device on and initial screen will display.




If the battery is completely discharged, problems may occur when the device is turned on. If a problem occurs, charge the battery before turning on the device again.





1.3.2 Turning the Device Off

Press and hold the Power button for about one second to display the following pop-up screen. Select the Power off menu to turn off the power.





If the device stops its operation for a long time, press and hold the Power button for about eight seconds to forcibly reboot the device.




1.3.3 Standby Mode


If the device is not used for a long time, M3 SL20 automatically shifts to standby mode to decrease battery consumption. To manually set the device in standby mode, lightly press the Power button.


By default, if the device is not used for 30 seconds or longer, it shifts to standby mode. The time when the device shifts to standby mode can be set by the user.


Swipe the bottom → Click Settings → Display → Sleep to change time that the device will shift to standby mode.













1.4 Memory Card

1.4.1 Inserting an External Memory Card

The Micro-SD card is used as an external memory of M3 SL20. After removing the battery, insert SD memory card into the Micro-SD card slot.







To insert a Micro-SD card, remove the battery cover on the back of the device and remove the battery.

Insert the Micro-SD card by pushing it all the way in and when you remove it, take it out slightly with your hands.



Android[™] 11, the OS used in M3 SL20, can support up to 512 GB for external memory.

1.4.2 Checking Data

Information stored in the Micro-SD card can be checked by swiping bottom → Click




Filos

or O

File manager → Menu → SD card








1.5 SIM Card

1.5.1 Inserting the SIM Card

SIM card supports voice call and data transfer through mobile communications. The card should be the one verified by a local network supplier.

To insert SIM card, remove the battery cover on the back of the device and remove the battery. When removing the SIM card, you can easily remove the lever by lowering it.




For more information on how to use the phone, please see phone functions section.




2 Basic Use

2.1 Features

Device Layout





- 1 Scan Window
- 2 Microphone
- 3 Power Button
- 4 Receiver
- **⑤** Front Camera
- 6 Sensor
- ? Charging LED

- 8 Scanner Button
- 9 Volume Button
- 10 Screen
- 11) Speaker
- Hand strap Ring
- **13** Rear Camera
- 14 I/O 8 Pin

- 15 Battery cover Lock
- 16 Camera Button
- 17 Battery Cover
- ® C-type USB Hole
- 19 I/O 5 Pin
- 20 Back Button
- 21 Home Button
- 22 Menu Button

2.2 Key

2.2.1 Button


n Des	scription	
	=	



Scanner	Operate scanner while executing scanner program.
Function	Execute the work set to the button.
Volume High	Increase volume.
Volume Low	Decrease volume.
Menu	Display menu.
Home	Go to Home screen.
Back	Return to previous stage.
Camera	Take pictures while executing camera program.
Power	Power on/off screen or shut off power

2.3 Home Screen

If the device is turned on, the following screen will be displayed. The screen is divided into six sections as follows:





- ⇒ Status Bar
- ⇒ Quick Search Bar

⇒ Dock Bar

2.3.1 Status Bar

The Status Bar displays status of the device.

Icon	Icon Name	Description
	Battery	Battery charging status or battery residual capacity



اناك	Phone	Call strength or no signal
┛┅	Sound / Vibration	Sound or Vibration status of the device
\bigcirc	Wi-Fi	Wi-Fi connection/disconnection
*	Bluetooth	Bluetooth connection/disconnection
•	GPS	Status of searching the location data
\bigcirc	Alarm	Alarm activation status
★	Airplane Mode	Activation status of Airplane mode
Ø	NO SIM	SIM card is not connected

2.3.2 Notification Bar

The Notification Bar displays device notifications.

lcon	Icon Name	Description
·	More	There are more notifications.
\$	Data Sync	Data is being synchronized.
	Schedule	Displays the schedule.
?	Wi-Fi	Open Wi-Fi network can be used.
•	Music	Music is being played.
C !5	Data Sync	An error occurs when data is being synchronized.
	Data Upload	Data is being uploaded.
<u>•</u>	Data Download	Data is being downloaded.
O:	SD Card Full	Capacity of SD card is full.
ψ	USB	Device is connected through USB.
*	Debugging	USB debugging can be used.
F	Received Message	There is a message received.
~	Missed Call	There is a missed call.



(Wi-Fi hotspot	Wi-Fi hotspot is activated.
Ψ	USB tethering	USB tethering is activated.
*	Bluetooth tethering	Bluetooth tethering is activated.
0	Virtual Private Network	Device is connected to Virtual Private Network (VPN).

2.3.3 Dock Bar

Shortcut icons can be placed on the lower section to rapidly execute frequently used programs. On the Dock Bar, up to five shortcut icons may be added or deleted.

Icon	Icon Name	Description
•	Phone	Receive or make a call.
31	Calendar	Set, manage, or reserve a schedule.
	Contacts	Manage address book.
	Message	Receive or send a text message.
	Camera	Take photos or record videos.

2.4 Data Input

2.4.1 Virtual Keyboard

If focus is placed on the input screen, the virtual keyboard will be automatically displayed.




User Manual



2.5 Device Reset

2.5.1 Soft Reset (1)

Press and hold Power button to display power management menu. Select "Restart" menu.



2.5.2 Soft Reset (2)

Long Press Power button more than 30sec.

The program being executed will end, and the data or file being used will also be deleted. However, the stored data or file will not be affected by Soft Reset.

2.5.3 Factory Reset

If serious problem occurs in the device or problem is not solved through Soft Reset, Perform factory reset.

For factory reset, Perform the following procedure:


Swipe the bottom → Click (factory reset)




Settings → System → Reset options → Erase all data











- Check if Erase internal SD card is checked. → Reset device. → Erase everything
- According to options, documents in internal SD card or Micro-SD card may be deleted.
 As such, please check the options. All settings will be reset.



Factory Reset Protection (FRP) Feature

What is Device Protection, or Factory Reset Protection (FRP)?

Android devices provide built-in security features you can use to protect your device and information, including screen locks and data encryption. Data protection, or Factory Reset Protection (FRP), is a security feature on Android devices with Lollipop 5.1 or higher.

FRP is automatically activated when you set up Google Account on your device. Once FRP is activated, it prevents use of a device after factory data reset, until you log-in using Google username and password previously set up on the device.

• How does FRP work?

When you perform a Factory Data Reset, all settings are returned to the factory default settings. All data is erased including files and downloaded apps.

If you have a Google Account set up on the device, FRP is active. This means that after reset, you'll be required to log-in to the Google Account using the username and password. If you have multiple Google Accounts set up on the device, you can log-in using any of the accounts.

If an unauthorized person tries to reset the device by another method, the device would still require log-in using the Google username and password. This means that if your device is lost or stolen, another person would not be able to reset it and use it.

• What do I need to know about FRP?

If you want to reset your device to factory defaults, make sure you know your Google Account and password, because you'll need to log-in at the end of the reset.

If you want to reset your device to factory defaults, but don't remember your Google username and/or password, you can do one of these:

Check your device's Account settings for your account name and reset your password via the device or at https://www.google.com.

It can take 24 hours for the password reset to sync with all devices registered to the account. Remove the account before you reset device.

If you already reset your device, but don't remember your Google username and/or password, the device can't be used. In that case, you can do one of these:



If you know your Google username but can't remember the password, you can reset your password on the device, or at www.google.com. It can take up to 24 hours for a new password to sync with all registered devices. After 24 hours, you can try to log-in your phone with the new password.

If you have multiple Google Accounts, and you can't remember which Google Account you set up on your device, visit https://www.google.com/android/devicemanager.

Log in with your Google username and password and check the list of devices registered to the account. If you don't see the device listed on the account, it means the device is registered to a different account. Use the same process to check for devices linked to your other Google Accounts. When you find the registered account, use it to log-in your device.


If you can't remember any of your Google Account information, you can send your device, along with proof of purchase, to an authorized M3Mobile supplier. M3 has special tools to reset the phone to factory defaults with no protection enabled.

2.6 Connecting with a PC

2.6.1 How to Connect

To connect the device to a PC, perform the following procedure:

1. Connect the device to a PC via cradle or USB. You can see screen as below.





- Charge this device This mode is only for charging a device. Data cannot be sent.
- File Transfer Send files to another device.
- PTP Send photos or files.
- MIDI Use as Musical Instruments App.
- 2. PC recognizes the device and automatically installs driver.
- 3. Once the driver is completely installed, file is transferred through Explorer.

If the device does not connect with a PC, check the following:



- Check if the USB cable is properly connected between the device and PC.
- Check if LCD screen of the device is turned on.

Check above and connect them again.

3 Using the Application Screen


3.1 Phone Function


M3 SL20 supports the 2G (GSM), 3G (UMTS, HSPA+) and 4G (LTE) networks.

3.1.1 Basics

Press the icon to use the Phone menu.







- Press the () icon to see the recent call history.
- Press the () icon to see the contacts.

User Manual



Press the **Create new contact** to add a contact.




Before making a call or transferring data through network, make sure that the phone function is available.


3.2 Wi-Fi

3.2.1 Setting the Wi-Fi Feature

Activating the Wi-Fi feature

Settings and set the WLAN menu to ON/OFF to activate or Swipe the bottom → Click deactivate the Wi-Fi feature.









Connecting to a Wi-Fi network

To connect to an AP, perform the following procedure:


- 1. Select "Wi-Fi" menu of the Settings icon.
- 2. In the list, select an AP name to access. If necessary, enter password to complete the access.








3. You can also create a QR code to share your network and connect other devices through the shared QR code without entering your Wi-Fi password.





3.3 Scanner

M3 SL20 provides a 2D Scanner. For detailed information on available options, please contact the local distributor or refer to our Web site.

(Homepage: http://www.m3mobile.net).

3.3.1 How to Use Scanner

M3 Mobile provides the program() needed to use a scanner by default. It is the keyboard wedge program that sends barcode data.




The ScanEmul() program can be used regardless of 1D/2D scanner.




In case of 2D scanner, it cannot be simultaneously used with a camera.

3.3.2 Using the Scanner

Place the device toward a targeted barcode and press Scan button.



The laser beam of the scanner should completely cover barcode as shown in the following.



Do not look at the laser beam directly.
 (CLASS 2 LASER PRODUCT 1.0 mW, MAX OUTPUT: 650 nm)



 If the device is used for purposes other than that described in this manual, a user may be exposed to harmful electromagnetic waves.



3.4 Bluetooth


3.4.1 Setting the Bluetooth Feature

A Bluetooth device frequently used can be registered, or M3 SL20 can be searched in another device.

Activating the Bluetooth feature

Swipe the bottom → Click Settings → Connected devices → Connection preferences
→ Bluetooth → + Pair new device (List of devices available to connect to is displayed)

If Bluetooth signal is turned on, Bluetooth icon (**) is displayed in the Status bar indicating that the Bluetooth feature is activated.






3.4.2 Connecting Using Bluetooth

List of devices available to connect to is displayed

If the "Bluetooth pairing request" screen is displayed, enter PIN code of the Bluetooth device to complete access to the device.



Guide on distance between the device and user

- The device is tested in general conditions wherein the device is 0.5 cm apart from a user.
- To meet the radiation safety and protection standards of the Ministry of Science, ICT and Future Planning, the device and the antenna should be 0.5 cm or more from a user regardless of the antenna use.
- It is recommended to refrain from using a metal belt clip, case, or accessory.
- Do not wear an accessory keeping 0.5 cm or shorter from the back part of the device or one that does not meet the radiation safety and protection standards of Ministry of Science, ICT and Future Planning.

3.5 NFC


3.5.1 Setting the NFC Feature

Activating the NFC Feature

There is an NFC antenna next to the speaker behind the SL20 device, so please orient it and tag it.










Swipe the bottom → Click

Settings → Connected devices → Connection preferences

→ NFC On








3.5.2 Connecting the NFC Feature

Connecting with the NFC Device

- Open Web page or screen of a video, photo, or contact.
- Place back part of the NFC device toward back part of M3 SL20.
- Touch the screen. Data transfer would then start.





Caution when sharing data



While sharing data, the distance between devices should be less than 5 cm.

Caution when transferring data

When transferring data between devices, they do not need to be close. It is recommended to keep the distance between devices within 10 m.

Connecting to the NFC Chip / Tag Card

- 1. Hold M3 SL20 as shown below. Do not cover the antenna area of a speaker with your hands.
- 2. Place M3 SL20 near NFC chip or tag card until data transfer is completed. (Generally, data is displayed in the application.)



User Manual



Connecting to a Bluetooth Device with the NFC Feature

- 1. Do not cover the antenna area of a speaker with your hands.
- 2. Place M3 SL20 near the device. The device displays that connection is successfully performed.

4 Advanced Use

4.1 OS Update


The M3 Mobile distributes new OS to improve the quality and performance of a product.

To check OS version of the device, **Swipe the bottom** → **Click**





Settings → About Phone

→ Android version









User Manual



The latest OS is described on the online support page of M3 Mobile.

The OS of M3 SL20 can be updated through two methods.

- Use Micro-SD card
- Connect the device via Ethernet cradle

For detailed information on OS update, please refer to the "OS" item of the M3 FAQ (FAQ download).

4.2 Key Setting Conversion


M3 SL20 allows a user to change and modify key settings for user convenience.

Swipe the bottom → Click




KeyTool application.












Keys can be set as follows:

SL20 KEYTOOL application KeyTool









The setting of the device's physical buttons, except for Power button, can be changed.



4.3 Battery Hot swap

Sometimes people want to swap the battery without rebooting a device.

Because,

- 1) Not saved application data is erased when device is rebooted.
- 2) Rebooting Time is too long.

Battery Hot swap function prevents this situation.



- 1. Press the power button on the active device once and enter sleep mode.
- 3. The sleep mode continues until a new battery is inserted.
- 5. Device is working without rebooting.





- 1. Press the power button of the device once and switch it to sleep mode.
- 2. Remove the battery and replace it with a new one.
- *Caution! Replace battery within 30 seconds.



5 Others

5.1 SL20 series Device Specifications

	Physical Characteristics
Dimensions	156.8 mm L x 72.7 mm W x 17.55 mm D
Weight	236 g (including standard battery)
Display	5.45 in. color HD (1440 x 720); Corning® Gorilla® Glass
Touch panel	supports dual input mode with finger, gloved finger
Backlight	LED backlight display
Expansion Slot	User accessible MicroSD with 512GB SDXC
SIM Slots	1 nano SIM, 1 PSAM
Connections	USB 2.0 High Speed OTG (host/client); Type C connector, WLAN, Bluetooth and WWAN
Notification	Audible tone, multi-color LEDs, vibration
Keypad	Volume + / - key, Camera key, Power key, 2 Scanner keys (Left, Right), On-screen keypad
Voice and Audio	Internal speaker, two microphone with noise cancellation; vibrate alert and Bluetooth wireless headset support; Highquality speaker phone;1 Watt Built-in speaker and microphone
	Performance Characteristics
CPU	2.3 GHz Octa-core processor
OS	Android 11 with M3 Mobile's StartUp for control over GMS and other services;
U3	will support future Android releases.
Memory	4 GB/64 GB Flash
Power	Standard: 3000mAh, Extended: 5000mAh
	hot swap support with temporary, WWAN/WLAN/Bluetooth session persistence
ı	Data Capture
Scanning	SE4710
Camera	Front CAM: 5M pixels, Rear CAM: 13M pixels auto-focus
NFC	ISO 14443 A/B, ISO 15693, Mifare
	Wireless WAN Data AND VOICE COMMUNICATIONS (SL20X model only)
	Support VoLTE
Radio	LTE FDD: 700/800/850/900/1700/1800/1900/2100/2600 (1/2/3/4/5/7/8/19/20/28);
Frequency Band	LTE TDD: 1600/2300/2500 (38/40/41);
	UMTS/HSDPA/HSPA+: 850/900/1800/1900/2100(1/2/3/4/5/8);
GPS	GSM/GPRS/EDGE: 850/900/1800/1900 (2/3/5/8);
GF3	Autonomous, Concurrent GPS; GLONASS; Gallileo; Beidou, and A-GPS Wireless LAN
Radio	IEEE 802.11 802.11 a/b/g/n/ac/d/e/h/i/j/k/r/v, IPv4, IPv6, 1X1 MU-MIMO
Operating	Channel 1-13 (2412-2472 MHz): 1,2,3,4,5,6,7,8,9,10,11,12,13
Channels	Channel 36-165 (5180-5825 MHz):
(depending on	36,40,44,48,52,56,60,64,100,104,108,112,116,120,124,128,132,136,140,144,149,153,157,161,165
Regulatory)	Channel Bandwidth: 20, 40, 80 MHz



	Actual operating channels/ frequencies and bandwidths
	depend on regulatory rules and certification agency.
Security and	WEP (40 or 104 bit); WPA/WPA2 Personal (TKIP, and AES);
Encryption	WPA/WPA2 Enterprise (TKIP and AES) — EAP-TTLS (PAP, MSCHAP, MSCHAPv2),
Encryption	EAP-TLS, PEAPv0-MSCHAPv2, PEAPv1-EAP-GTC and LEAP.EAP-PWD
Fast Roam	PMKID caching; Cisco CCKM; 802.11r; OKC
	Wireless PAN
Bluetooth	Bluetooth 5.0 BLE, Class 2
	Regulatory
EMI/EMC	EN 301 489-1; EN 301 489-3; EN 55024; EN 55032 Class A
Electrical Safety	IEC 62368-1
RF Exposure	EU: EN 50364, EN 62369-1, EN 50566, EN 62311
	User Environment
T	Operating Temperature: -4° F to 131° F/-20° C to 55° C
Temperature	Storage Temperature: -40°F to 167°F/-40°C to 75°C
Humidity	5% to 95% RH (Non-condensing)
Tumble Test	0.5m/1000Cycle
Drop Test	Multiple 6 ft./1.5 m drops to concrete across the operating temperature range per MIL-STD-810G
Sealing	IP67
Vibration	Sine: 4g's peak, 5hz to 2khz, Random: .04g²/hz, 20hz to 2khz 60minute duration per axis, 3 axis
Thermal Shock	-22° F to 158° F/-30° C to 70° C rapid transition
ESD	+/- 15kV air, +/-8kV contact discharge, +/-8kV indirect contact discharge
	Interactive Sensor Technology (IST)
Light Sensor	Automatically adjusts the brightness of the display
Magnetometer	
sensor	eCompass automatically detects direction and orientation
Motion Sensors	Gyro Sensor, Accelerometers: for X,Y, and Z movement, and gyroscopes for measuring the extent
Motion Sensors	and rate of rotation in space
Proximity	Detect the presence of nearby objects without any physical contact, during a telephone call,
Sensor	proximity sensors play a role in detecting accidental touchscreen taps
	Environmental Compliance
	Directive 2011/65/EU, Directive(EU)2015/863
	Warranty
Subject to the te	orms of M2Mobile's hardware warranty statement, the SL20 series are warranted against defects in

Subject to the terms of M3Mobile's hardware warranty statement, the SL20 series are warranted against defects in workmanship and materials for a period of 1 (one) year from the date of shipment. For complete warranty statement.

User Manual



5.2 Service

If you have any questions or complaints with using our product, please contact M3 Service Center or visit our Web site (http://itc.m3mobile.net). We do our best to immediately respond to your inquiry.

The M3 FAQ document may help resolve general problems.

For any questions on work programs, please contact the program supplier for faster service.

5.2.1 Contacts

Head Office

4F, Namjeon Bldg, 44, Gu-ui Gangbyeon-ro, Gwangjin-gu, Seoul, Korea, 05116 Tel: +82 2 574 0037, Fax: +82 2 558 1253

www.m3mobile.net, sales@m3mobile.co.kr, sales_eu@m3mobile.co.kr

Service Center

Chun-ui Techno Park 201-610, 202, Chunui-dong, Wonmi-gu, Bucheon, Gyeonggi-do, 420-857, Korea

Tel: +82 32 623 0037, Fax: +82 70 4015 6323, cs@m3mobile.co.kr

• ITC (M3 Mobile Information & Technology Center)

http://itc.m3mobile.net, it@m3mobile.co.kr

M3 Mobile GmbH

M3 Mobile GmbH, Schulstr. 49, 65795 Hattersheim, Germany

Tel: +49 6190/8021828, sales@m3mobile.co.kr

